



Province Government
Ministry of Social Development
Public Health Laboratory
Bagmati Province, Nepal

Patient Name: Rup Bahadur Waiba

Age: 30

Gender: Male

Date Of Collection: 2077-04-02

Address: Ghyanglekh, Sindhuli

Report Dispatched Date: 2077-04-03

Referred by:

Laboratory No:8755

Molecular Diagnostic Laboratory Report for COVID-19

Test name	Method	Result
COVID - 19	RT PCR (CFX96 Real Time System) BIO-RAD	Negative

Performed by: Sarita Pyatha
Med. Technologist

Suman Subedi
Med. Technologist

Approved by: Narayan Bdr Karki
Microbiologist



Province Government
Ministry of Social Development
Public Health Laboratory
Bagmati Province, Nepal

Patient Name: Shrbhan Waiba

Age: 27

Gender: Male

Date Of Collection: 2077-04-02

Address: Ghyanglekh, Sindhuli

Report Dispatched Date: 2077-04-03

Referred by:

Laboratory No:8756

Molecular Diagnostic Laboratory Report for COVID-19

Test name	Method	Result
COVID - 19	RT PCR (CFX96 Real Time System) BIO-RAD	Negative

Performed by: Sarita Pyatha
Med. Technologist

Suman Subedi
Med. Technologist

Approved by: Narayan Bdr Karki
Microbiologist



Province Government
Ministry of Social Development
Public Health Laboratory
Bagmati Province, Nepal

Patient Name: Asman Pakhrin

Age: 35

Gender: Male

Date Of Collection: 2077-04-02

Address: Ghyanglekh, Sindhuli

Report Dispatched Date: 2077-04-03

Referred by:

Laboratory No:8757

Molecular Diagnostic Laboratory Report for COVID-19

Test name	Method	Result
COVID - 19	RT PCR (CFX96 Real Time System) BIO-RAD	Negative

Performed by: Sarita Pyatha
Med. Technologist

Suman Subedi
Med. Technologist

Approved by: Narayan Bdr Karki
Microbiologist



Province Government
Ministry of Social Development
Public Health Laboratory
Bagmati Province, Nepal

Patient Name: Shanta Bir Bholan

Age: 26

Gender: Male

Date Of Collection: 2077-04-02

Address: Ghyanglekh, Sindhuli

Report Dispatched Date: 2077-04-03

Referred by:

Laboratory No:8758

Molecular Diagnostic Laboratory Report for COVID-19

Test name	Method	Result
COVID - 19	RT PCR (CFX96 Real Time System) BIO-RAD	Negative

Performed by: Sarita Pyatha
Med. Technologist

Suman Subedi
Med. Technologist

Approved by: Narayan Bdr Karki
Microbiologist

